

## EDL-250/WS - PA Loudspeaker



Weatherproof PA sound projector

- 100 V line technique
- Protected against powerful water jets
- Weatherproof plastic housing
- Connection cable with 3 power taps
- Movable mounting bracket

## Tekniset tiedot:

|                                |                   |
|--------------------------------|-------------------|
| Active/passive                 | : passive         |
| Transmission method            | : 100 V           |
| Total output power             | : -               |
| Power rating (RMS)             | : -               |
| Total power rating             | : -               |
| Power rating (RMS)             | : 30/15/7.5 W     |
| Impedance                      | : -               |
| Frequency range                | : 125-15,000 Hz   |
| THD                            | : -               |
| S/N ratio                      | : -               |
| Input signal                   | : -               |
| System                         | : -               |
| Full range speaker             | : -               |
| Bass speaker                   | : -               |
| Midrange speaker               | : -               |
| Tweeter                        | : -               |
| Number of speakers             | : -               |
| Speaker size                   | : -               |
| Sensitivity                    | : 101 dB/W/m      |
| Max. rated SPL                 | : -               |
| Radiation angle, horizontal    | : -               |
| Radiation angle, vertical      | : -               |
| Features                       | : -               |
| Housing material               | : plastic         |
| Colour                         | : white           |
| Mounting device                | : -               |
| Protected against ball rebound | : -               |
| Protection class               | : IP66            |
| Admiss. ambient temp.          | : 0-40 °C         |
| Power supply                   | : -               |
| Dimensions                     | : 180 mm x 200 mm |
| Width                          | : 180 mm          |
| Height                         | : -               |
| Depth                          | : 200 mm          |
| Weight                         | : 2.1 kg          |



|                        |     |
|------------------------|-----|
| Inputs                 | : - |
| Outputs                | : - |
| Replacement voice coil | : - |
| Other features         | : - |
| Accessories            | : - |