


## EDL-255/WS - PA Loudspeaker

**100V** **8Ω**



PA sound projector

- 100 V line technique or 8 Ohm operation
- 6-step power selector switch for 15/8/4/2 W/off or 8 Ohm operation
- White plastic housing with movable mounting bracket

## Tekniset tiedot:

|                                |                    |
|--------------------------------|--------------------|
| Active/passive                 | : passive          |
| Transmission method            | : 100 V            |
| Total output power             | : -                |
| Power rating (RMS)             | : -                |
| Total power rating             | : -                |
| Power rating (RMS)             | : 15/8/4/2 W       |
| Impedance                      | : 8 Ohm            |
| Frequency range                | : 100-15,000 Hz    |
| THD                            | : -                |
| S/N ratio                      | : -                |
| Input signal                   | : -                |
| System                         | : -                |
| Full range speaker             | : -                |
| Bass speaker                   | : -                |
| Midrange speaker               | : -                |
| Tweeter                        | : -                |
| Number of speakers             | : -                |
| Speaker size                   | : -                |
| Sensitivity                    | : 92 dB/W/m        |
| Max. rated SPL                 | : -                |
| Radiation angle, horizontal    | : -                |
| Radiation angle, vertical      | : -                |
| Features                       | : -                |
| Housing material               | : plastic          |
| Colour                         | : white            |
| Mounting device                | : mounting bracket |
| Protected against ball rebound | : -                |
| Protection class               | : -                |
| Admiss. ambient temp.          | : 0-40 °C          |
| Power supply                   | : -                |
| Dimensions                     | : 180 mm x 280 mm  |
| Width                          | : 180 mm           |
| Height                         | : -                |
| Depth                          | : 280 mm           |
| Weight                         | : 2.59 kg          |



|                        |     |
|------------------------|-----|
| Inputs                 | : - |
| Outputs                | : - |
| Replacement voice coil | : - |
| Other features         | : - |
| Accessories            | : - |