

## CLUB-1SUB - PA Subwoofer



### The CLUB System:

Compact full range speaker, subwoofer and amplifier perfectly matched to each other and in combination provide a top-quality performance. Considering the dimensions and price, they are simply fascinating. The devices of the CLUB series provide unique possibilities, whether applied individually or together with other PA products of highest quality.

The perfect central power unit for various PA systems capable of high volumes. Ideally suited for clubs and lounges, trendy bars and restaurants, PA applications in function rooms, music pubs, dancing schools, gyms with exercise rooms, etc. The 3-channel concept of extra high power capability with variable frequency filters and various connecting facilities allows for a variety of different system concepts. **Professional subwoofer, 600 W/8 Ohm or 2 Ohm or 2 x 300 W/4 Ohm**

- 4 x 20 cm (8") top-class woofer
- Slim and compact design
- Variable impedance concept (switchable between 1 x 8 Ohm and 2 x 4 Ohm, for parallel connection in the 2 x 4 Ohm position as 1 x 2 Ohm)
- High-quality lacquered MDF cabinet, full front grille with acoustic foam
- An amplifier with integrated or external active crossover network is required for operation

With its exceptionally high power capability and a perfect sound, one CLUB-1SUB is sufficient already to provide such an extended bass reproduction that even several top parts, e.g. like the CLUB-1TOP which is a perfect combination can ideally be complemented. In case of particularly high level requirements in the bass range, it is possible to connect up to three CLUB-1SUB units without any problems, e.g. to the mono sub channel of the STA-1603CLUB (each in the 8 Ohm mode, all in parallel). In 2 x 4 Ohm operation, the

CLUB-1SUB is of course also an ideal partner for other multichannel amplifiers or every suitable 2-channel subwoofer amplifier. **discret 02/2011**

"Above all, the CLUB system impresses by a sophisticated concept for a high flexibility, reliability and a solid quality with high level reserves. The system surely provides a high power capability, great features and a good workmanship for its price and the sound is more than adequate for many applications in the scene gastronomy and club gastronomy, even of high requirements."

**tools4music 01/2011**

"The powerful power amplifier and the slimline bass speaker can even impress bass-enthusiastic ravers."

+ Good workmanship

+ Slimline design

+ Impedance selection **Beat 69, 07-08/2011**

"A multi-purpose system showing high stability and reliability in continuous operation. The small satellites provide an assertively pleasant sound. The subwoofers feature a dynamic and full sound. The CLUB system ensures sophisticated, compact and reliable PA applications of high quality at a fair price." **SOUNDCHECK 10/2010**

"A slimline column speaker with a well-balanced bass reproduction and impedance selection."

## Tekniset tiedot:

|                                |                         |
|--------------------------------|-------------------------|
| Active/passive                 | : passive               |
| Transmission method            | : -                     |
| Total output power             | : -                     |
| Power rating (RMS)             | : -                     |
| Total power rating             | : 1,200 W               |
| Power rating (RMS)             | : 600 W                 |
| Impedance                      | : 8 Ohm/2 x 4 Ohm/2 Ohm |
| Frequency range                | : 45-250 Hz             |
| THD                            | : -                     |
| S/N ratio                      | : -                     |
| Input signal                   | : -                     |
| System                         | : bass-reflex subwoofer |
| Full range speaker             | : -                     |
| Bass speaker                   | : 4 x 20 cm (8")        |
| Midrange speaker               | : -                     |
| Tweeter                        | : -                     |
| Number of speakers             | : 4                     |
| Speaker size                   | : 20 cm (8")            |
| Sensitivity                    | : 96 dB/W/m             |
| Max. rated SPL                 | : 122 dB                |
| Radiation angle, horizontal    | : -                     |
| Radiation angle, vertical      | : -                     |
| Features                       | : -                     |
| Housing material               | : MDF                   |
| Colour                         | : black                 |
| Mounting device                | : -                     |
| Protected against ball rebound | : -                     |
| Protection class               | : -                     |
| Admiss. ambient temp.          | : 0-40 °C               |
| Power supply                   | : -                     |
| Dimensions                     | : 300 x 880 x 440 mm    |
| Width                          | : 300 mm                |
| Height                         | : 880 mm                |
| Depth                          | : 440 mm                |
| Weight                         | : 29.5 kg               |



|                        |   |
|------------------------|---|
| Inputs                 | : 1 x or 2 x NEUTRIK SPEAKON,switchable |
| Outputs                | : -                                     |
| Replacement voice coil | : -                                     |
| Other features         | : -                                     |
| Accessories            | : -                                     |