

## AES-5 - Mini Extension Speaker



Special speaker, 3 W, 4 Ohm

- Compact, moisture-proof version
- Extra robust
- Optimised voice reproduction
- Supplied with 2 m connection cable and 3.5 mm mono plug
- Frequency range: 300-8,000 Hz

## Tekniset tiedot:

Active/passive	: passive
Transmission method	: -
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 5 W
Power rating (RMS)	: 3 W
Impedance	: 4 Ohm
Frequency range	: 300-8,000 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: -
Full range speaker	: -
Bass speaker	: -
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 1
Speaker size	: -
Sensitivity	: -
Max. rated SPL	: -
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: plastic
Colour	: black
Mounting device	: mounting bracket
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: -
Power supply	: -
Dimensions	: 78 x 73 x 58 mm
Width	: 78 mm
Height	: 73 mm
Depth	: 58 mm
Weight	: 185 g



Inputs	: 2 m cable with 3.5 mm plug
Outputs	: -
Replacement voice coil	: -
Other features	: -
Accessories	: -