

BR-50 - Bass Rocker

100
W_{MAX}

4Ω



Bass rocker, 50 W, 4 Ohm

- Special technology for producing a structure-borne sound
- Mounting to a seat or also to a floor or dance floor capable of vibrating
- Generates a powerful bass which can physically be felt
- Easy screw mounting
- Connection to suitable power amplifier via basic passive crossover network as for subwoofers, or even better via an individual amplifier
- Series or parallel connection of several BR-50 devices is possible like with common bass speakers
- Resonant frequency: 40 Hz (varies due to mounting to different surfaces)

- Frequency range: approx. 30-300 Hz
- Even mounting surface required of at least 110 x 110 mm
- Dimensions: 131 x 131 x 56 mm
- Weight: 1.232 kg

Tekniset tiedot:

| | |
|---|---------------------|
| Impedance (Z) | : 4 Ohm |
| Transmission method | : - |
| Frequency range | : 30-300 Hz |
| Resonant frequency (fs) | : 40 Hz |
| Rec. crossov. frequ. (fmax.) (12 dB/oct.) | : - |
| Power rating (RMS) | : 50 W |
| Peak music power output (MAX) | : 100 W |
| Sensitivity | : no data |
| Max. rated SPL | : - |
| Max. voltage | : - |
| Radiation angle, horizontal | : - |
| Radiation angle, vertical | : - |
| Suspension compl. (Cms) | : - |
| Moving mass (Mms) | : - |
| Mech. Q factor (Qms) | : - |
| Electr. Q factor (Qes) | : - |
| Total Q factor (Qts) | : - |
| Equivalent volume (Vas) | : - |
| DC resistance (Re) | : - |
| Force factor (BxL) | : - |
| Voice coil induct. (Le) | : - |
| Voice coil diameter | : - |
| Voice coil former | : - |
| Linear excursion (X _{MAX}) | : - |
| Eff. cone area (Sd) | : - |
| Magnet weight | : - |
| Magnet diameter | : - |
| Mounting cutout | : not applicable |
| Mounting depth | : - |
| Mounting hole diameter | : - |
| Hole spacing X-axis | : - |
| Hole spacing Y-axis | : - |
| Dimensions | : 131 x 131 x 56 mm |
| Outside diameter | : ~ 152 mm |
| Width | : 131 mm |



| | |
|-----------------------|------------|
| Height | : 131 mm |
| Depth | : 56 mm |
| Protective class | : - |
| Admiss. ambient temp. | : 0-40 °C |
| Weight | : 1.232 kg |
| Packing unit | : 1 |
| Type of speaker | : - |