

---

-

## Tekniset tiedot:

Active/passive	: passive
Transmission method	: Cables
Total output power	: -
Power rating (RMS)	: -
Total power rating	: 4,000 W
Power rating (RMS)	: 2,000 W
Impedance	: 4 Ohm
Frequency range	: 30-250 Hz
THD	: -
S/N ratio	: -
Input signal	: -
System	: bass-reflex hybrid horn
Full range speaker	: -
Bass speaker	: 2 x 38 cm (15", FTR15-4080FD)
Midrange speaker	: -
Tweeter	: -
Number of speakers	: 2
Speaker size	: 38 cm (15")
Sensitivity	: 98 dB/W/m
Max. rated SPL	: 133 dB
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: birch multiplex
Colour	: black
Mounting device	: M20 threaded plate
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: -
Dimensions	: 1,050 x 500 x 650 mm (w/o castors)
Width	: 1,050 mm
Height	: 500 mm
Depth	: 650 mm
Weight	: 63 kg

---

Inputs	: 1 x NEUTRIK SPEAKON
Outputs	: 1 x NEUTRIK SPEAKON
Replacement voice coil	: -
Other features	: -
Accessories	: -